


## 2-in-1 touch-up paints

**BRUSH**



**NIB**

Page 2-5: General information

Page 6-11: Application instruction


Page 12-13: Tips & tricks

# Step 1: clean the surface



1. If your surface is dirty, wash it thoroughly with water and soap.
2. Let the surface dry.
3. Use an alcohol or another suitable chemical to remove grease and other adsorbed specimens that may lower the paint adhesion.
4. Let the surface dry.

# Step 2: surface preparation



1. Use a fine-grained sandpaper or another mild polishing agent to dull the surface, which helps the adhesion of the lacquer in the next stages.
2. If you see a rust on the surface, this means that the metal has been attacked. Polish the surface to remove the residual rust.
3. Wipe the polished surface with an alcohol or another chemical to remove dust and rust particles.
4. Let the surface dry.

# Step 3: Use the touch-ups

MOTO-K®

## Big scratches




1. Shake the bottle well to mix the content.
  - You should hear the stirring ball rattling.
2. Unscrew the bottle and take out the brush
  - Wipe out the excess of the coating on the neck of the bottle
3. Apply the paint with smooth strokes or by "touching-up" the damaged area.
  - Apply two times, allowing the paint to dry for 10 minutes between layers.

## Precise corrections



1. Shake the bottle well to mix the content.
  - You should hear the stirring ball rattling.
2. Pull the cap to reveal the nib
3. Apply the paint spot-on by pressing the walls of the bottle
  - Apply two times, allowing the paint to dry for 10 minutes between applications.

## Step 4: Even the surface



Correcting the scratches with touch-ups may leave paint blobs in the spot of correction.

You can even them with the same polishing agents you used in Step 2.

**WARNING!** Always wait until the paint is properly dried.  
We recommend to wait **NO LESS THAN 24 hours** before polishing

# ***I MADE A MISTAKE!***



MOTO-K® touch-ups are simple to use and safe for your car!

If you already have a scratch, don't worry – using them will not bring any further damage.

The carefully-selected mixture of solvents does not damage the original lacquer.

If you paint a wrong part of your vehicle, or accidentally pick up an incorrect color, or apply way too much product on the damage, do the following:

1. Put an alcohol on a tissue while the paint is still wet (up to 24 hours after application).
  1. If you waited for too long, you may need to paint the area again – solvents in the product shall react with the dried element, allowing an easy removal.
2. Wipe the paint with the tissue.
3. Repeat the painting process, this time with more experience!

# Tips & tricks 1



- *MOTO-K* products after application are **touch-dry after 10 minutes**, i.e. the outside layers are not sticky anymore. The time in which the layers are fully-dry depends on their thickness, temperature and humidity, but we recommend assuming **MINIMUM** 24 hours.
- If your damage goes all the way down to the metal (i.e. if you see the bare car body or emerging rust) use the **PRIMER** first
- Use the **CLEAR COAT** on a DRIED base coat (color) to provide additional protection.
- When applying subsequent layers (for example: clear coat on base coat), always wait until the previous one is **touch-dry**.
- Shake the

# Tips & tricks 2



- Optimal painting conditions:

<i>Temperature &lt; 10 °C</i>	<i>10 °C ≤ Temperature &lt; 35 °C</i>	<i>Temperature ≥ 35 °C</i>
<i>Humidity ≥ 50 %</i>	<i>50 % ≥ Humidity &gt; 20 %</i>	<i>Humidity ≤ 20 %</i>
Difficulties by drying	Optimal conditions	Dries too fast

- Avoid painting in direct sunlight or when the surface is warmed up in another way.
- Use the touch-ups in a well-ventilated space, using appropriate personal safety equipment.

# Hazard information

MOTO-K®



**Danger.** Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye damage. May cause drowsiness or dizziness. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Contains n-butanol (CAS: 71-36-3), acetone (CAS: 67-64-1).